


## नेपाल सरकार कृषि तथा पशुपंछी विकृत्स मन्तालय प्रधानमन्त्री कृषि आधुनिकीकरण परियोजना परियोजना कुर्यान्वयम् एकाइ, कास्की

Name of equipment: Laminar flow (vertical)


Technical Specification of Laminar Flow		0.00	Rate (include		
Descriptions	Office Requirements	Offers by suppliers	applicable	Word	Remarks
General					
	any				
Country of origin	any				
Body	,		DE TOTAL SHIP CONTRACTOR OF THE SHIP CONTRACT		
Size of body	120×60×60 cm				
Working area body	Vertical - SS-304 Grade Stainless Steel				
Side pannel	6mm±0.5mm thick acrlic sheet				
Front Door	made up of acrylic				
No. of Blower	2-3 blowers				
Working Area		- To the state of			
Laminar flow cabinet	Illuminated by fluorescent light, Number of LED light-1 or 2			TG.	·
Filters					
Air Filters	Pre-Filters - down to 5 micron HEPA Filter - down to 0.3 micron Mesh guard for protection of HEPA filter			,	
	(Class 100)				
Power	single phase A.C.50 Hz/230V±10V				
i.Motor	0.25 HP electric motor mounted on anti-vibration pad, RPM- 1200 to 1440				
Noise Level	65 decibel ±59/	THE CONTROL OF THE PARTY OF THE			BACRES
	Descriptions  General make and model Country of origin  Body Size of body  Working area body  Side pannel Front Door No. of Blower  Working Area  Laminar flow cabinet  Filters  Air Filters	Descriptions   Office Requirements	Descriptions   Office Requirements   Suppliers	Descriptions   Office Requirements   Suppliers   Sup	Descriptions Office Requirements Suppliers Suppliers Vat for applicable items)  General make and model any Country of origin  Body Size of body Vertical - SS-304 Grade Stainless Steel General Working area body Stainless Steel General Working area body  I20×60×60 cm Vertical - SS-304 Grade Stainless Steel General Working area body  IIIuminated by fluorescent light, Number of LED light-1 or 2  Filters  Pre-Filters - down to 5 micron HEPA Filter - down to 0.3 micron Mesh guard for protection of HEPA filter (Class 100)  Power  Single phase A.C.50 Hz/230V±10V  I.Motor  Office Requirements Suppliers Vat for applicable items) Vat for applicable items)  Path of the supplicable items)  Poffice Requirements Suppliers  Power  Power  Single phase A.C.50 Hz/230V±10V  I.Motor  O.25 HP electric motor mounted on anti-vibration pad, RPM- 1200 to 1440




S.N.	Technical Specification	0.60	Rate (include			
	Descriptions	Office Requirements	Offers by suppliers	vat for applicable items)	Rate in Word	Remarks
	,	रोखरा, कार्ट्य				
7	Air Flow	Direction - Frontward Horizontally				
		Velocity- 0.35-0.65 m/s				
	. ,	Mains on/off switch UV Germicidal lamp for sterilization				
8	Standard fittings	Manometer for Measurement of HEPA Filters Choking system range from 0-50mm				
		Cock for Gas Connection				
9	Optional fittings	LCD display for velocity, time & lamp on/off				
erse carcagnativa		Extra power outlet switch				
10	Catalogue verifying offered specification	Foot rest  Catalogue to be provided				
11	Warranty against any manufacturing defects within one year	At least one year's warrantee				

Name of equipment: Autoclave

	Technical Specification of Autoclave			Rate (include		
S.N.	Descriptions	Office Requirements	Offers by suppliers	vat for applicable items)	Rate in Word	Remarks
1	General					
	make and model	any				
	Country of origin	any				1
	1					
2	Body					
		Vertical shape SS-304				
-	Inner chamber	Grade Stainless Steel				
	Shape	Cylindrical				
	Capacity	75 litres-160 litres				



S.N.	Technical Specifica		Rate (include							
	Descriptions	Office Requirements	Offers by suppliers	vat for applicable items)	Rate in Word	Remarks				
4	Voltage	single phase A.C.50 Hz/230V±10V								
NO.	Standard features	Safety door opening mechanism								
5		Pressure Control Switch								
1		Water indicator								
		Steam release valve								
	Optional features	PID temperature controller cum timer with alarm (buzzer)								
6		Flow meter and Auto cut device								
		Lower water cut-off								
7	Catalogue verifying offered specification	Catalogue to be provided								
8	Warranty against ny manufacturing defects within one year	At least one year's warrantee								






## कृषि तथा पशुपछी विकास मन्तालय प्रधानमन्त्री कृषि आधुतिकीकरूण परियोजना परियोजना कार्यान्त्रसूत एकाइ, कास्की

पोखरा, कास्की

Name of equipment: Display cooler

s.N.	ne of equipment: Display cooler  Technical Specification of display cooler			Rate		
	Descriptions	Office Requirements	Offers by suppliers	(include vat for applicable items)	Rate in Word	Remarks
1	General					
	I was a second of the second o	any				
ii.	Country of origin	any				
2	Body					
		not less than			2	
	Product size	1450×1100×910 cm				
	Material					
	i.Outer Cabinet	High Grade Steel				
	ii.Inside Cabinet	High Grade Stainless				
		Sicci				
	Body Features	Minimum 4 I avers				
	. 01 -10	Minimum 4 Layers				
	1.Shelf	Adjustable Shelves			,	
3	Refrigeration unit	Air cooling				
		R290/R404a or any CFC				
	i. Refrigerant	free gases	and the second of the second o			
	ii. Condenser and	Copper Tube with				-
	Evaporator	Alumunium Fin				
4	Controller					
	i. Temperature			**************************************		
	Control	Smart thermostat				
	ii. Defrost	Auto or manual Defrost				
	iii. Temperature					
	Range	2-8°C				
	iv.Controller	Manual Digital controller				
5	Power	single phase A.C.50 Hz/230V±10V				
-		Night air curtain				
6	Standard features	Fan cooling system				
,	TOTAL DE LA ASSESSION DE LA CONTRACTOR D	LED Light	The second secon			



	Technical Specification of display coolers			Rate (include vat		
S.N.	Descriptions	Office Requirements	निर्द्धा Offers by	for applicable items)	Rate in Word	Remarks
7	Catalogue verifying offered specification	Catalogue to be provided				
8	Warranty against ny manufacturing defects within one year	At least one year's warrantee				

Treston Biffer on the last